

Kerry
Site: Certainteed
10#: MOD980631162
Break:/5
Other:
1-18-82

MISSOURI DEPARTMENT OF NATURAL RESOURCES

January 18, 1982

Katie Biggs EPA Region VII 324 East 11th Street Kansas City, MO 64106

Dear Katie:

Enclosed is a copy of a memorandum of exposed asbestos waste on property previously operated by Certain-Teed Corporation. Apparently, this material became exposed as a result of the Metropolitan Sewer District (MSD) clearing brush prior to channelizing along Maline Creek.

You might want to include MSD in any remedial actions you may plan.

Please feel free to contact me at this office or Mike Duvall at the St. Louis Regional Office, (314) 849-1313, if you have any questions. Thank you for your cooperation in this matter.

Sincerely,

Lvle O. Crocker

Environmental Specialist Waste Management Program

LOC/bki

cc: St. Louis Regional Office

Enclosure

DILF 30290366 Superfund

0400


__ AKHWI/SWMG

JAN 2 0 1982

tion VII K.C., MO

Christopher S. Bond Governor Fred A. Lafser Director

Division of Environmental Quality Robert J. Schreiber Jr., P.E. Director



MEMORANDUM

Date:

January 8, 1982

To:

Art Groner, Central Office, Waste Management Program

From:

Mb Mike Duvall, St. Louis Regional Office

Subject:

CERCLA Notification Site Inspection - Certainteed Corporation

Site Inspection report forms attached.

This site constitutes ½ of the GAF-Certainteed Corporation asbestos waste pile project previously resolved by both U.S. EPA and our office. See enclosed letters dated April 28, 1980 and June 2, 1980 on this subject.

As noted on the form report, I observed during my most recent site visit that some exposed asbestos slag materials are now visible along the creek bank at the extreme NW corner of the area. These wastes became apparent over the past few months since some tree/brush clearing work started along the banks of Maline Creek preparatory to future channelization of the stream by MSD. The area in question is a relatively small part of the original closure project, and the decision was made during the plan review stage 2 years ago to leave it in an undisturbed state. This material is now subject to sloughing off with fluctuating stream flow and therefore poses some degree of concern. Any additional removal and/or stabilization actions here should probably be coordinated with the MSD.

To summarize, the vast majority of the asbestos waste pile has been satisfactorily stabilized, with the exception of the small area noted above.

MD/jk Enclosure

		SILE INSPECTION RE	FUNI			· · · · · · · · · · · · · · · · · · ·
:: :	GENERAL INSTRUCTIONS: Complition on this form to develop a Tents File. Be sure to include all appropriection Agency; Site Tracking Systems	spisition (Section II), priste Supplemental Reports in iem, Hazardous Waste Enforcer	File this form the file. Subm ment Tack Fore	in its entry in the formula copy of the for	he regional Haz rms to: U.S. Er	rerdous Waste Log nvironmental Pro-
		I. SITE IDEN	TIFICATION			
ļ	A. SITE NAME		S. STREET (or	wither identifier)		
ļ	CERTAINTEED C	ORP.		ST. CYR RI	D.	
ı	C. CITY		D. STATE	E. ZIP CODE	F. COUNTY HAD	4 E
ł	ST. Louis		Mo	63137		
1	G. SITE OPERATOR INFORMATION					
J	1. NAME			ļ	1. TELEPHONE	
J	CERTAINTEED C	20RP.			(215) 54	42 0500
t		4. CITY				l -
	P.O. BOX 860	VALLEY	FORGE	=	PA	19482
ł	H. HEACTY OWNER INFORMATION (II	I dillecent leam operator of eite)	<u> </u>			
J	1. NAME	•		1	1. TELEPHONE	ENUMBER
1	SAME			<u> </u>	•	
•	3. CITY				4. STATE	S. ZIP CODE
J				1	j	1
	I. SITE DESCRIPTION		<u> </u>	لنسيب	·	*
1	•	19AI AREA	IKIN HO -	RIAI	INT	
ļ	ASBESTOS DISPO	VALLE TINEM ON				
1	1. FEDERAL 2. STAT					•
	L Z STAT		, ,, menticitals	Final W. PRIVAT	=	
١	·	II TENTATINE PIECE	N (co	Is suction !		<u>.</u>
}	A. ESTIMATE NATE OF THE	II. TENTATIVE DISPOSITIO				
}	A. ESTIMATE DATE OF TENTATIVE DISPOSITION (mo., day, 5 yr.)				L.J.	,
		1. HIGH -	2. MEDIUM	[]] 1: FOM	[] 4. HONE	•
ļ	C. PREPARED IN SORTION					
	C. PREPARER INFORMATION) • •	15 Millione] g, ms v =	day. A va.)
•	1. NAME		2. TELEPHO	HE HUMBER	S. DATE (MOI, C	ri = rnj
ļ			L			
ļ		III. INSPECTION	H INFORMATIO	ОН		
1	A. PRINCIPAL INSPECTOR INFORMA	TION				
İ	I. NAME		S. TITLE	<i>_</i> _^		
١	MIKE DUVALL		LENU.	SPECIALI	ST	
Ì	S. ORGANIZATION		· ·		4. TELEPHON	E NO. (ares code & no.
1	MO DNR - ST.	LOUIS REG		i	1314 84	49 1313
Ì	B. INSPECTION PARTICIPANTS					
	1. NAME	2. ORGA	ANIZATION	· · · · · · · · · · · · · · · · · · ·	3. TEL	EPHONE NO.
Ì						
ļ	M. DUVALL			A - A	BOUE	
ł	- DUVITEE	 			TOUVE.	
į		1			1	
Ì		 		·	 	
İ	•		÷		ľ	
}	e cine percusation	L	1000			
1	C. SITE REPRESENTATIVES INTERV	T	1		ADDRESS	
1	1, NAME	2. TITLES TELEPHONE NO			ADDRESS	
İ	111sA DI AL	ENV. ENGINEE		OT 4	k	10 10
ı	WM. BLAKESLEE	215 542 050	DICE	NININTEE	D CO	AS ABOVE
1	1		1		•	
		 				,
				-		
					-	
		T T				
	,	<u></u>				
	•	•	1			
				-		

D, GENERATOR INFORMATIO	N (DOISE	0[(+)					
T. NAME	2. TE	ONEN	o.	\$. 400AE	15	4. WASTE TY	PE GENERATED
CERTAINTEED	ر م	2RP	SE	E 'PG, 1		ASBE	STOS
·							•
	1				•		······································
,	<u></u>			<u> </u>	···	<u> </u>	
E. TRANSPORTER/HAULER II	γ			a. ADDRE			
	}	LEPHONE N				 	ETRANSPORTE
N/A - ASB	557	705 S	LA	TO FACTORY	OSITED IN	PAST	ON
GROUNE	A	DJACE	WT	TO FACTURY	RLDGS,		
<u>.</u> .							
F. IF WASTE IS PROCESSED C	N SITE	AND ALSO S	HIPPE	D TO OTHER SITES, IDENTIF	Y OFF-SITE FACILITIE	S USED FOR D	DISPOSAL.
I, NAWE	2. TE	LEPHONE N	o.		S. ADDRESS		
N/A							
	<u> </u>			•			
		· .					
G. DATE OF INSPECTION	1			I. ACCESS GAINED BY: (cree	lentials must be shown in	all cases)	
(ma, dey, & yr.) 12 - 10 - 81 J. WEATHER (describe)	3	:80 PM		1. PERMISSION	2. WARRANT	***************************************	·
T~40°F; PAR	ナレソ	CLEAR		SLIGHT WINN	•		
			' IV	. SAMPLING INFORMATION			
A. Mark 'X' for the types of etc. and estimate when the				ate where they have been ser	nt e.g., regional lab, ot	her EPA lab,	contractor,
1. SAMPLE TYPE		2. SAMPLE TAKEN (mark 'X')		3.SAMPLE	SENT TO:		4.DATE RESULTS AVAILANLE
4. GROUNDWATER		1	-				•
b. SURFACE WATER					·		
C. WASTR			-	FAKEN			
d. AIR	10	NE					
e. RUNOFF	V						
& SPILL		·					
g. 80IL					•		
h, VEGETATION		<u> </u>	-	•			
I. OTHER(opecity)	<u> </u>		-				· · · · · · · · · · · · · · · · · · ·
B. FIELD MEASUREMENTS T	AKEN (od., redioecti	rity, e	zplosivity, PH, etc.)			l
1.TYPE		2. LOC	ATION	OF MEASUREMENTS	\$.(RESULTS	
							·
N/	A				•		
							•
5 P. C T1070 1 (10.70)				PAGE 2 OF 10		Cor	ntinue On F

Syntinued From Page 2							
Carindra Sum a sing	V. SAMPLING INFOR	MATION (SE					
PHOTOS			<u> </u>				
1. TYPE OF PHOTOS	,	H CUSTODY .	•				
E . GROUND E b. AER	IND DA	R - 57	WIS REC	5.			
C. SITE MAPPEDI							
TEL SPECIFY LOCATION O							
CLOSURE PLA							
E. COORDINATES							
1. LA TITUDE (degminsec.)		1 LONGIT	(egmini-eec.)	and the same of the same of			
PART OF LOTS G.T.	8 OF U.S. SURV. B.	T461	75. ST. 1	OUIS CO. MO			
	V. SITE INF						
A. SITE STATUS		•					
1. ACTIVE (Those Inductrial of		(Those a		idents like "midnight dumping"			
numcipal altes which are being use for muste treatment, storage, or dis		where no	: or continuing use	of the site for weste disposal			
un a cuntinuing basis, even if infre-	• }	has ocenin		·			
		<u> </u>					
. IL GENERATOR ON SITE!							
	ecify generator's foundigit SIC Code)						
N/A - PAST DIS	D. ARE THERE BUILDINGS	· COMP.	LOCATEL	>			
C. AREA OF SITE (In acres)			•				
~15	1. NO 💢 2. YES		Supplied A A A				
13			PRY BLD	65,			
	VI. CHARACTERIZATI		. HVITY				
Indicate the major site activity(s	es) and details relating to each a	ctivity by me	« 'X'. in the appro	priate noxes.			
A. TRANSPORTER	B. STORER -	H	THEATER	D. DISPOSER			
I. MAIL	1.PILE	1. FIL 7/	14	1. LANDFILL			
2. SHIP	2.SURFACE IMPOUNDMENT	2.1NC1	TION	2. LANDFARM			
3 BAAG C	3. DRUMS	3. VOL	SDUCTION .	3. OPEN DUMP			
A. TRUCK	4. TANK, ABOVE GROUND	4.REC	WRECOVERY	4. SURFACE IMPOUNDMENT			
4. PIPELINE	S. TANK, BELOW GROUND	8. CHE	HTS./TREATMENT	S. MIDNIGHT DUMPING			
4. OTHER (specify):	e. OTHER (ape: Hy):	4. BIC.	AL TREATMENT	S. INCINERATION			
		7. WAS	A L. REPROCESSING	7. UNDERGROUND INJECTION			
	· · · · · · · · · · · · · · · · · · ·	9. S. CL	HECOVERY	S. O THER (specify):			
		9.0763	· · scife):				
·				, : :			
		ł	:	•			
	The first of the first of the	-	more and the second measures.				
	<u> </u>	1	· · · · · · · · · · · · · · · · · · ·				
	the site falls within any of the categ have filled out and attached to this fo		∠, Supplemental Repo	rts must be completed. Indicate			
			SHRFACE F	le perpuer.			
L 1. STORAGE	2. INCINERATION 3. LANDF	اداد لين	POUNDMENT	S. DEEP WELL			
CHEM/BIO/	7. LANDFARM S. OPEN C	UMP .	**************	1 10. RECYCLOR/RECLAIMER			
- PHYS TREATMENT							
A. WASTE TYPE	VII. WASTE RELA	IED INFO	- FION				
	2. SOLID [] 1. SLUDO	e ["	11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	والمراجع والمراجع والمناطق والمستعورات			
	2. 30000	· L	•	*			
B. WASTE CHARACTERISTICS							
1. CORROSIVE	2. IGNITABLE 3. RADIO	ACTIVE [SCHLY VOLATILE				
	8. REACTIVE 7. INERT	_	FLAMMABLE				
المرابع المراب	O. REACTIVE	.	·				
9. OTHER (apocity):	•			·			
C. WASTE CATEGORIES			to the second				
s. We records of wastes available	? Specify items such as manifests, i	NASMOU	· rlaw.				
N/A							
F PA For T2070-3 (10-79)		FAOFIC	···	Continue On Reverse			

(1) FLYASH (1) LABORATO PHARMACE (2) ASBESTOS (2) MOSPITAL (3) MILLING/MIME (3) RADIOACTI (4) MUNICIPAL (5) NON-FERROUS SMLTG, WASTES (6) OTHER (specify): (4) OTHER (specify): (4) MUNICIPAL (5) OTHER (specify): (4) MUNICIPAL (5) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify):	X PAINT. X' (1) W	P MEASURE ILV ASTES THER(special	- U	SOL	MEASUI LOGENAL VENTS NIMALOI VENTS	TED	(2)		ING OHS TICS	1	III FLYASH IZI ASBESTOS IZI MILLINGA TAILINGS IAI FERHOUS	N HE	X (1) LABOR PHARM. (2) HOSPIT	ATONY ACE'IT
CONTROL CON	(2) METALS (2) METALS (3) POTW (4) ALUMINUM (4) SLUDGE	ILV ASTES THER(speci		SOL	LOGÉNA VENTS NIMALOI VENTS	TED	(2)	PICKL LIQUO I CAUS	LING	ŭ	(1) FLYASH (2) ASBESTOS (3) MILLINGA TAILINGS (4) FERROUS	AIME SMELT	(1) LA BOR. (1) PHARM. (2) HOSDIT	ATOMY ACETT
13) FLYASH (13) ASBESTOS (2) HOSPITAL (3) MILLING/MINE (3) RADIOACTI (4) FERROUS SMELT (4) MUNICIPAL (5) NON-FERROUS (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (7) AS NUMBER (8) A ##	(1) PIGMENTS (1) W (2) METALS (2) O (3) POTW (4) ALUMINUM (4) SLUDGE	THE R(speci	_	121 801	N-MALO	SNTO.	13	PEST	ING OHS TICS	X	(2) ASBESTOS (3) MILLING/R TAILINGS (4) FERROUS (4) ING WASTE	SMELT	(2) HOSPIT	AL
13) FLYASH (13) ASBESTOS (2) HOSPITAL (3) MILLING/MINE (3) RADIOACTI (4) FERROUS SMELT (4) MUNICIPAL (5) NON-FERROUS (6) OTHER (specify): (6) OTHER (specify): (6) OTHER (specify): (7) AS NUMBER (8) A ##	(1) PIGMENTS (1) W (2) METALS (2) O (3) POTW (4) ALUMINUM (4) SLUDGE	THE R(speci	_	121 801	N-MALO	SNTO.	13	PEST	ING OHS TICS	X	(2) ASBESTOS (3) MILLING/R TAILINGS (4) FERROUS (4) ING WASTE	SMELT	(2) HOSPIT	AL
(3) MILLING/MINE (3) MILLINGS (4) FERROUS SMELT (4) MUNICIPAL (5) NON-FERROUS (6) OTHER(specify): (6) OTHER(specify): (6) OTHER(specify): (6) AS NUMBER S. AMOUNT 6. U RA #	(4) ALUMINUM		(v):	1110	VENTS		13	PEST	TICS ICIDES	X	(3) MILLING/R TAILINGS (4) FERROUS (4) ING WASTE	SMELT	ISIRADIOA	CTIVE
INTERPOUS SMELT INTERPOUS SMELT IS NON-FERROUS IS OTHER (SPECIFY): IS OTHER (SPECIFY): I acdor of hazard) AS NUMBER S. AMOUNT 8. U	(4) SLUMINUM			1101	ER(ape	city)	- - - 	, PE3T1	CIDES		FERHOUS	SMELT		
IS) NON-FERROUS SMLTG. WASTES (S) OTHER (specify): (S) OTHER (sp	"" SLUDGE						$\vdash +$				" ING WASTE	:3	(4) MUNICI	PAL
actor of hazard) AS NUMBER S. AMOUNT 6. U	(8) OTHER(apocity):	e wee.					,,	INVES	'INK\$	1			1 (4) MUNICIPAL	
actor of hazard) AS NUMBER S. AMOUNT 6. U		- Ann.					┠╼╂╌			- 1	IS SMLTG. W	OUS L	_ ISTOTHER	(epeci
AS NUMBER S. AMOUNT 6. U		- Ares					•) C Y A N	nDE	_	 			7
AS NUMBER S. AMOUNT 6. U							,,	PHEN	IOLS				• •	
as number 5. Amount 6. U		- 6v				• .		DHALC	GENS		1	٠. ا		٠.
as number 5. Amount 6. U		•					[]")) PC B					در پیونوند در در اور ا	
as number 5. Amount 6. U							,,	01 MET	ALS .		3			
AS NUMBER S. AMOUNT 6. U		: •	1				H.,	HOTH	EH(spec	1(y)		- 1	i saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan ka saan Ka saan ka saa	. .
AS NUMBER S. AMOUNT 6. U	7										· · · · · · · · · · · · · · · · · · ·		2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
RA #	, LIST SUBSTANCES OF GRE	ATEST CON							n descer	nding a	eder of hazard)			
	1. SUBSTANCE		(nark 'X	9	(merk '	(, X,)		4. CAS	NUMBER	5. A	MOUNT	6. Um
			LID	Liq.	POR			LOW.	NONE					<u> </u>
,013 /	ASRESTOS		×	l					.				9.	R
					1 1						,, 3			
		····												
1	Andrew State Control													
ŧ										``.	ar si			
					Π, HA				ION		-			
	ASBESTOS		×		E. VA. POR	е.	b. MED.	LOW		R C R U C	A # ()1/3			?,
	the state of the s										production of which			
1 1							. ,			٠.	a* . *			
				با	لبيا	ليبا			Ļ		· ·	L	· · · ·	
	FIELD EVALUATION HAZ	ADD DESCE	NOTIC						1014		-			

B. HON-BORKER INJURY/EXPOSURE	AIM, HARAGO DES	CRIPTION (continued)	
			;
	• ·		•
		•	
r. wonker injury/exposure			
er adulta manufactura	•		And the second
	•		
./		·	
*			
•	•	·	
A CONTAMINATION OF PARTS AND ALLERS	·		
D. CONTAMINATION OF WATER SUPPLY			••
	~	4.	
	• ,		
•			
E. CONTAMINATION OF FOOD CHAIN			
•		•	
	1.		•
•			
t			
•		·	· ·
F. CONTAMINATION OF GROUND WATE	R		in the state of th
		• •	
•			
	-		
•			41.1 4.1
•	,		H

	Vill, HAZARD DESCRIPTION (continued)	
H. DAMAGE TO FLORA/FAUNA		
	•	.,
•		
	•	
	e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co	
	*	•
L PISH KILL		, · · · · · · · · · · · · · · · · · · ·
		į.
		Ŷ
_	•	
		;
	. e'. '	
į.		
the fact that we have a second		
J. CONTAMINATION OF AIR		
·		:
		•
, " ,	; ·	
		•
,	· · · · · · · · · · · · · · · · · · ·	
		•
K. NOTICEABLE ODORS		
	•	
•		
	•	
·	·	
	•	
		:
L. CONTAMINATION OF SOIL	*	;
		•
		j
•		Harris (France)
	•	Y
		¥
	•	•
M. PROPERTY DAMAGE		
	•	e e
		:
1		•
!		
1	•	
1		
EPA Fem T2070-3 (10-79)	PAGE & OF 10	Continue On Page i
		-

•	·	,
O. SPILLE/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID		
en en en en en en en en en en en en en e		
·	A.	·
	• /	
P. SEWER, STORM DRAIN PROBLEMS		
Q. EROSION PROBLEMS		
SEE SECT. G,		
T R. INADEQUATE SECURITY	•	
S. INCOMPATIBLE WASTES		,
EPA Porm T2070-3 (10-79) PAGE 7	OF 10 Continue O	a Kaversa

		VIII. HAZARD DESC	RIPTION (continued)		
T. MIDNIGHT DUMPING					" "
		•			
			•		1
·					
·		••	ter en en en en en en en en en en en en en	a Service and a	en la la composition de la co
	•	•			7
U. OTHER (opecity):					
C O I NEW (opening):					
					1
			•		,
er bereite begregen ber in eine er ber bei ber eine bereiten ber eine bereiten ber eine bereiten ber eine bereiten ber eine bereiten ber eine bereiten ber eine bereiten ber eine besteht beite bereiten bereiten besteht bei bereiten besteht bei bereiten besteht bei bereiten besteht bei bereiten besteht bei besteht best		•		•	
					•
					· 1
•			•		
·					
			,		1
""				•	
		* * * * * * * * * * * * * * * * * * *	And the Annual States with the control of		
				•	
					1
			•		
	l X. P	OPULATION DIREC	TLY AFFECTED BY SI	TE	
			C. APPROX. NO. OF PEO		NO. E.DISTANCE
A. LOCATION OF POPULATION		APPROX. NO. OPLE AFFECTED	AFFECTED WITHIN	OF BUILDI	NGS TO SITE
	0772	OPER APPRECIED	UNIT AREA	ATTECIE	(epecity units)
I. IN RESIDENTIAL AREAS		150	SAME	6	~ 130'
		130	PAME		- 130
8. OR INDUSTRIAL AREAS	•	70	. 11	4	~ 30'
IN PUBLICLY					
TRAVELLED AREAS	SIT	E BORDERS	MEDIUM USI	E GOUNTY	RD.
4. PUBLIC USE AREAS (parks, schools, sts.)	1110	SING HAM		p ral	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NON		E WITHIN ~		
A. DEPTH TO GROUNDWATER 4000	ly will)	B. DIRECTION OF FL		C. GROUNDWATER	USE IN VICINITY
ζ,		R	,	NONE	
D. POTENTIAL VIELD OF AQUIFER			HRING WATER SUPPLY Deure) INTAKE	_	DRINKING WATER SUPPLY
.7,	<u> </u>	N/A - UF	STREAM	NE (UPS	TREAM
	_	INITY (macify town)	- 4	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LAT PASSO
< 15 CONNECTIONS.	> 18 C	HNECTIONS -	CITY ST. LO		JUF ROCKS
A SURFACE WATER	4 WELL		WTP ON MIS	os, KIVEK	
EPA Form T2072-3 (10-79)		PAG	E 8 OF 10		Continue On Page 9

ŧ

\ \(\frac{1}{2}\)

C

			X. WATER AND HYDROLOGICAL DAT	A (-	centinued)		
H. LÍST ALL DAIN	KING WA	TER WEL	LS WITHIN A 1/4 MILE RADIUS OF SITE				12
1. WELL	2. DE (opecil	[FTH Funit)	8. LOCATION (proximity to population) t	ulldi	(inga)	4. NON-COM- MUNITY (merk 'X')	COMMUN- ITY (mark 'X')
NONE	12 N	DINA					
- SECTIVING TA							
I. RECEIVING WAS	164		2. SENERS 🗵 3. STR	E A MI	S/RIVERS	•	
MALINE	= = ۶ م	K	4. LAKES/RESERVOIRS S. OTH	ERÍ	epecify):	٠	
. SPECIFY USE	AND CLA	SSIFICAT	ION OF RECEIVING WATERS	_ `			
- PROB. C	CLASS	s P					
- LIMITE	ED, 1F	ANY	USAGE; TRASVERSES ME	ETI	RO AREA FOR ST	ORM DR	ANNAGE
			XI. SOIL AND VEGITATION O			··-	
LOCATION OF SI	TE IS IN:				· · · · · · · · · · · · · · · · · · ·		
A. KHOWH F				00 Y	EAR FLOOD PLAIN	D. WETLANS	•
E. A REGUL	BORD	ER 5	The collection wasters than a	F ~	ADOF TOUT OR SOLE SOUR	ČE ADWEST	
E. A REGUL	A 1 20 FL	LOUGHAY	F. CRITICAL HABITAT G. R		ARGE ZONE OR SOLE SOUR	CE AUDIPER	
Mark 'X' to indic	ate the t	type(a) of	geological material observed and specify w			perts.	·
A. CVERBUR		H	B. BEDROCK (specify below)	×	C. OTHER (ope		
1. SAND				+			
X 2. CLAY - G	ILT						
3. GRAVEL		\prod		T		•	
		- 	XIII. SOIL PERMEABILIT	Y			
A. UNKNOWN		. f cm/sec	B. VERY HIGH (100,000 to 1000 cm/so .) E. LOW (.1 to .001 cm/soc.)	·c.)	C. HIGH (1000 to 10 co		oc.)
G. RECHARGE AT		·,-,	COMMENTS: Q N/A				
H. DISCHARGE A			COMMENTS:			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
1. SLOPE			PECIFY DIRECTION OF SLOPE, CONDITION C) F 21	LOPE, ETC.		
3 MAX	AT EN	इस्टेंड	TO W, GENERALLY FOLLO	(1)	ING CRK. SLOT	es st	TABLE.
N	/A		•				
ł							

Continued From Page 4

• • •		XIV. PERMIT INFOR	RMATION					
List all applicable permits he	eld by the e and	provide the related info	rmation.					
			.O. DATE	E. EXPIRATION	F. IN COMPLIANCE			
A. PERMIT TYPE (#.g.,RCRA,State,NPDES,ato.)	B. ISSUING AGENCY	C. PERMIT NUMBER	(mo.,doy,kyr.)	DATE (mos.der,kyrs)	7. 785	3. NO	B. UM. KNOWN	
PREVIOUS NPDES	U.S. EPA	MO-0000103	9-23-74	10-9-81	N	1/A		
-TERMINATED	MO DNR							
,		•	. •					

MONE YES (summarize in this apoce)

MO DNR - ST. LOUIS REG. PREVIOUSLY WORKED WITH CERTAINTEED AND NEIGHBORING GAF CORP. TO ATTAIN SURFACE STABILIZATION OF ADJUTNE, CONTIGUOUS ASBESTOS SLAG PILE.

REG. OFFICE HAS FILE HISTORY ON TOTAL PROJECT.

SITUATION BASICALLY RESOLVED TO MODUR SATISFACTION THROUGH VOLUNTARY COMPLIANCE. SEE ALSO ATTACHED LETTER OF G-2-80 FROM DNR TO COMPANY.

ADJACENT
U.S. EPA HAD ALSO PREVIOUSLY ISSUED ADMINISTRATIVE ORDER TO COMPANY
ON 2-26-79 TO CORRECT ASBESTOS PROBLEMS IN TERMS OF ROTH WASTE
PILE AND WASTEWATER DISCHARGE,

SEE ATTACHED LETTER OF 4-28-80 FROM EPA TO COMPANY VERIFYING EPA APPROVAL OF CLOSURE ACTIONS TAKEN BY GAF, COMPLIANCE ATTAINED,

NOTE: Bused on the information in Sections III through XV, fill out the Tentative Disposition (Section II) information on the first page of this form.

EPA Form T2070-3 (10-79)

PAGE 10 OF 10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 28 1980

REGION VII
324 EAST ELEVENTH STREET *
KANSAS CITY, MISSOURI - 64106

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Murray Sherman Plant Manager, GAF Corporation 9215 Riverview Drive St. Louis, Missouri 63137

GUPY

GAF CORP. SI. LOUIS, MO

Dear Mr. Sherman:

Docket No. VII-79-W-02

We have reviewed the actions taken by the GAF Corporation (GAF) in response to the Administrative Order issued on February 26, 1979. Each provision of the Order is discussed below:

Requirement 1: That GAF Corporation, 9215 Riverview Drive, St. Louis, Missouri cease discharging the toxic pollutant asbestos from outfall 002 and any other source under their authority contributing to the presence of asbestos in Maline Creek.

All discharges, including discharge 002, have been eliminated and all asbestos containing wastes have been isolated, thereby complying with this requirement. All necessary steps should be taken to insure that the asbestos containing wastes continue to be isolated in the future.

Requirement 2: That GAF Corporation comply with the sample collection procedures and reporting requirements of NPDES Permit No. MO 0000779.

This requirement became moot with the elimination of all point source discharges.

Requirement 3: That GAF Corporation comply with the sample collection and monitoring procedures for records keeping, permit limitations and reporting as required by NPDES Permit No. MO 0000779

This requirement became moot upon termination of the NPDES discharge permit.

Requirement 4: That GAF Corporation remove asbestos contaminated material from the drainage ditch both upstream and downstream from discharge 002.

The asbestos contaminated materials were not removed from the drainage ditch upstream and downstream from discharge 002. However, our inspector concluded that all asbestos material had been covered and was no longer a threat to the environment. We consider this action to be satisfactory compliance with the Order as long as the cover is properly maintained.

Requirement 5: That GAF Corporation isolate asbestos contaminated material present in the waste piles on the facility site.

As noted above, all asbestos contaminated materials were found to have been effectively isolated.

The Environmental Protection Agency considers that you have satisfactorily complied with the terms of the Order and anticipates no further action in this matter.

Very truly yours,

Louise D. Jacobs

Director, Enforcement Division

cc: James P. Odendahl, Director
 Division of Environmental Quality
 Missouri Department of Natural Resources

C.F. Bien GAF Corporation 1361 Alps Road Wayne, New Jersey 07470

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 28 1980

REGION VII
324 EAST ELEVENTH STREET 'KANSAS CITY, MISSOURI - 64106

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Murray Sherman Plant Manager, GAF Corporation 9215 Riverview Drive St. Louis, Missouri 63137

Dear Mr. Sherman:



CAF CORP. ST. LOUIS, MO

Docket No. VII-79-W-02

We have reviewed the actions taken by the GAF Corporation (GAF) in response to the Administrative Order issued on February 26, 1979. Each provision of the Order is discussed below:

Requirement 1: That GAF Corporation, 9215 Riverview Drive, St. Louis, Missouri cease discharging the toxic pollutant asbestos from outfall 002 and any other source under their authority contributing to the presence of asbestos in Maline Creek.

All discharges, including discharge 002, have been eliminated and all asbestos containing wastes have been isolated, thereby complying with this requirement. All necessary steps should be taken to insure that the asbestos containing wastes continue to be isolated in the future.

Requirement 2: That GAF Corporation comply with the sample collection procedures and reporting requirements of NPDES Permit No. MO 0000779.


This requirement became moot with the elimination of all point source discharges.

Requirement 3: That GAF Corporation comply with the sample collection and monitoring procedures for records keeping, permit limitations and reporting as required by NPDES Permit No. MO 0000779

This requirement became moot upon termination of the NPDES discharge permit.

Requirement 4: That GAF Corporation remove asbestos contaminated material from the drainage ditch both upstream and downstream from discharge 002.

The asbestos contaminated materials were not removed from the drainage ditch upstream and downstream from discharge 002. However, our inspector concluded that all asbestos material had been covered and was no longer a threat to the environment. We consider this action to be satisfactory compliance with the Order as long as the cover is properly maintained.



3.600 St. Loud County
GAY-Certaint Company Asbestos Dump

June 2, 1980

Mr. John P. McGinley Vice President, Manufacturing A-C Pipe Division Certainteed Corporation P.O. Box 860 Valley Forge, PA 19482

Dear Mr. McGinley:

This is to advise that we have completed our staff review of the project to stabilize the asbestos waste pile located at the Certainteed Corporation plant site in St. Louis County, Missouri.

The results of our latest inspection of the site conducted on May 13, 1980 confirm that the project has been completed in basic conformance with the approved plans and specifications as prepared by the consultant, Reitz & Jens, Inc. The inspector was satisfied that the necessary work has been accomplished in terms of the specified grading, covering and vegetative growth establishment provisions, as well as installation of the stream bank rip-rap and strom water drainage appurtenances. Verification of the closure plat to be filed with the County Recorder of Deeds Office has also been received in this office.

Based upon these determinations, it is our judgement that the Certainteed Corporation has taken the necessary actions to stabilize the asbestos waste pile and thereby restore the site to a condition in which it no longer poses a threat of contamination to the water or air resources of the state.

We again thank Certainteed Corporation personnel for their cooperation in resolving this matter in good order.

Sincerely,

Earl F. Holtgraewe, P.E.

Regional Administrator

St. Louis Regional Office

Department of Natural Resources

EFH/MD/dak

CC: Reitz & Jens, Inc.

Environmental Protection Agency, Pegior VII

Metropolitan St. Louis Sewer District

Central Office, Solid Waste Management Program

Joseph P. Teasdale Governor

Fred A. Latser Director

St. Louis Realand Office

LANDFILLS SITE INSPECTION REPORT (Supplemental Report)

INSTRUCTION Answer and Explain —. as Necessary.

1. EVIDENCE	E OF SITE INSTABILITY (Erosion, Seitling, Sink Holes, etc)	- SEE SECT. VI
DA VEO	ED NO SMALL STRETCH ALONG CRK, BANK HAS EXPISED WAS EDFIMPROPER DISPOSAL OF BULK LIQUIDS, SEMI-SOLIDS AND SLUDGES INTO THE LANDFILL	STES WITHIN
2. EVIDENCE	E OF IMPROPER DISPOSAL OF BULK LIQUIDS, SEMI-SOLIDS AND SLUDGES INTO THE LANDFILL	· 1
YES	ECHO	
	ECORDS OF CELL LOCATION AND CONTENTS AND BENCHMARK	į
☐ 7E1	N/A	
4. WASTES SU	URROUNDED BY SORBENT MATERIAL	
T YES	□ NO N/A	
S. DIVERSION	IN STRUCTURES ARE EFFECTIVELY CONSTRUCTED AND PROPERLY MAINTAINED	
)Z] ***	, no	
	E OF PONDING OF WATER ON SITE	
T YES	Muo .	l l
	E OF IMPROPER/INADEQUATE DRAINING	
	⊠no	
	TE LEACHATE COLLECTION SYSTEM (II "Yee", epecily Type)	
□ YES	NO N/A	
	N/A	
	E LEACHATE SPRING	
T YES		
l	OF LEACHATE ANALYSIS	
YES	□ NO N/A	
10. GAS MONI		
YES	□ NO N/A .	·,
B .	DWATER MONITORING WELLS	
YES	□ NO N/A	
	TAL MEMBRANE LINER INSTALLED	
T YES	D NO N/A	
	IC CONTAINMENT MEASURES (Clay Bottom, Sides, etc)	
YES	□NO SEE #!6 BELOW	•
	ON (Stabilization) OF WASTE	
T YES	· ///	
	ATE CLOSURE OF INACTIVE PORTION OF FACILITY	1
X VEI	□ NO	
16. COVER(T		!
CLAY	Y- SILT SOILS WITH SECURE VEGET, GROWTH	
	•	
16a. THICH		į
12"	' MIN. CAP OUER ENTIRE SITE	
1		
1		,
166. PERM	MEABILITY	
ŀ	N/A	
ł	~	
1		
<u> </u>	I V A PRI LICA TION	
9	LY APPLICATION	
□ YES	□ NO	
l	N/A	
{		
1	.!	
1		